

DESO

Diesel and AdBlue® storage and dispensing tanks



www.desoengineering.co.uk

Deso is a world class rotational moulding company specialising in the design and production of liquid storage and dispensing containers.

Bunded DESO tanks for storage and distribution of diesel oil and AdBlue® provide cost effective solutions to domestic, commercial and agricultural requirements.

The products are available in four capacities: 1340, 2350, 2500 and 5000 litres.

DESO tanks guarantee a high return on investment, because they enable wholesale purchase of diesel oil and AdBlue®, which allows you to negotiate more favorable prices.

Deso tanks comply with the latest European standards and are supplied with moulded-in fittings and o-ring seals for unsurpassed protection against leaks. Manufactured from high grade polyethylene the products are corrosion resistant, have high impact strength and the latest UV stabilisation packages. These devices ensure safe storage of substances and preservation of their quality throughout the whole storage period.

The tanks are manufactured in Poland and have a 10 year guarantee (2 years for equipment).



Bunded tank



High-class dispensing system




10-year tank warranty



Made in Poland



Diesel storage and dispensing tanks



Tank Dimensions:

Product code	Capacity [L]	Diameter [mm]	Length [mm]	Height [mm]	Width [mm]
BFMD1340LG*	1340	1410	-	1740	-
BFMD2500LG*	2350	1700	-	1850	-
BFMD2350LG*	2500	-	2310	1950	1550
BFMD5000LG*	5000	2460	-	2050	-

* The end of the product code depends on the chosen specification.

Standard equipment:

- WatchmanSonic Plus level and leakage detector (level clock in 1340 L).
- Digital flowmeter.
- Transfer pump 230 AC.
- Max. level sensor.
- 6 m distribution hose with A60 automatic dispenser (4m in 1340 L).
- Filter with water separator + cap.
- Hose holder.



Watchman Sonic Plus
leak and level sensor



Filter with water
separator



Professional
PIUSI K600
digital flowmeter



K24 digital
flowmeter

AdBlue® storage and dispensing tanks



Tank Dimensions:

Product code	Capacity [L]	Diameter [mm]	Length [mm]	Height [mm]	Width [mm]
BBMD1340*	1340	1410	-	1740	-
BBMD2350*	2350	1700	-	1850	-
BBMD2500*	2500	-	2310	1950	1550
BBMD5000*	5000	2460	-	2050	-

* The end of the product code depends on the chosen specification.

Standard equipment:

- Professional PIUSI K24 digital flowmeter
- Submersible pump 230 AC
- Automatic dispenser
- Fluid level gauge meter
- 6 m distribution hose with A60 automatic dispenser (4m in 1340 L).

Options:

- Dry-coupling filling line
- Isolation



In-line pump 230 AC



Digital flowmeter K24



Submersible pump 230 AC

CONTACT:

Slade Way, Roughmoor Industrial Estate
 Williton, Somerset TA4 4TB
 Tel: 01984 632 026, Fax: 01984 634 267
 Email: sales@desoengineering.co.uk